#### Math Test - No Calculator

If 5x + 6 = 10, what is the value of 10x + 3?

A) 4

1

- B) 9
- C) 11
- D) 20

2

# x + y = 0

# 3x - 2y = 10

Which of the following ordered pairs (x, y) satisfies the system of equations above?

- A) (3, -2)
- B) (2, -2)
- C) (-2, 2)
- D) (-2, -2)

#### 3

A landscaping company estimates the price of a job, in dollars, using the expression 60 + 12nh, where n is the number of landscapers who will be working and h is the total number of hours the job will take using n landscapers. Which of the following is the best interpretation of the number 12 in the expression?

A) The company charges \$12 per hour for each landscaper.

B) A minimum of 12 landscapers will work on each job.

C) The price of every job increases by \$12 every hour.

D) Each landscaper works 12 hours a day.

4

 $9a^4 + 12a^2b^2 + 4b^4$ 


Which of the following is equivalent to the expression shown above?

A)  $(3a^2 + 2b^2)^2$ 

- B)  $(3a + 2b)^4$
- C)  $(9a^2 + 4b^2)^2$
- D)  $(9a + 4b)^4$

5

$$\sqrt{2k^2 + 17} - x = 0$$




- A) 2
- B) 3

C) 4

D) 5

6



In the xy-plane above, line  $\ell$  is parallel to line k. What is the value of p?

- A) 4
- B) 5
- C) 8
- D) 10

7

If 
$$\frac{x^{a^2}}{x^{b^2}} = x^{16}$$
, x > 1, and a + b = 2, what is the

value of a – b?

A) 8

B) 14

- C) 16
- D) 18

# 8

nA = 360

The measure A, in degrees, of an exterior angle of a regular polygon is related to the number of sides, n, of the polygon by the formula above. If the measure of an exterior angle of a regular polygon is greater than 50°, what is the greatest number of sides it can have?

B) 6

- C) 7
- D) 8

9

The graph of a line in the xy-plane has slope 2 and contains the point (1, 8). The graph of a second line passes through the points (1, 2)and (2, 1). If the two lines intersect at the point (a, b), what is the value of a + b?

A) 4

B) 3

C) –1

D) –4

## 10

Which of the following equations has a graph in the xy-plane for which y is always greater than or equal to -1?

- A) y = |x| 2B)  $y = x^2 - 2$
- C)  $y = (x 2)^2$
- D)  $y = x^3 2$

# 11

Which of the following complex numbers is

equivalent to 
$$\frac{5-5i}{8+2i}$$
? (Note:  $i = \sqrt{-1}$ )  
A)  $\frac{3}{8} - \frac{5i}{2}$   
B)  $\frac{3}{8} + \frac{5i}{2}$   
C)  $\frac{7}{34} - \frac{23i}{34}$   
D)  $\frac{7}{34} + \frac{23i}{34}$ 

12

$$R = \frac{F}{N+F}$$

A website uses the formula above to calculate a seller's rating, R, based on the number of favorable reviews, F, and unfavorable reviews, N. Which of the following expresses the number of favorable reviews in terms of the other variables?

A) 
$$F = \frac{RN}{R-1}$$
  
B) 
$$F = \frac{RN}{1-R}$$
  
C) 
$$F = \frac{N}{1-R}$$
  
D) 
$$F = \frac{N}{R-1}$$

13

What is the sum of all values of m that satisfy  $2m^2 - 16m + 8 = 0$ ?

- A) -8
- B)  $-4\sqrt{3}$
- c)  $4\sqrt{3}$
- D) 8

# 14

A radioactive substance decays at an annual rate of 13 percent. If the initial amount of the substance is 325 grams, which of the following functions f models the remaining amount of the substance, in grams, t years later?

A)  $f(t) = 325(0.87)^t$ B)  $f(t) = 325(0.13)^t$ C)  $f(t) = 0.87(325)^t$ D)  $f(t) = 0.13(325)^t$ 

15

The expression  $\frac{5x-2}{x+3}$  is equivalent to which of the following? A)  $\frac{5-2}{3}$ 

B) 
$$5 - \frac{2}{3}$$
  
C)  $5 - \frac{2}{x+3}$ 

D) 
$$5 - \frac{17}{x+3}$$


#### 16

The sales manager of a company awarded a total of \$3000 in bonuses to the most productive salespeople. The bonuses were awarded in amounts of \$250 or \$750. If at least one \$250 bonus and at least one \$750 bonus were awarded, what is one possible number of \$250 bonuses awarded?

#### 17

 $2x(3x + 5) + 3(3x + 5) = ax^2 + bx + c$ In the equation above, a, b, and c are constants. If the equation is true for all values of x, what is the value of b ?


18



In the figure above,  $\overline{AE} \parallel \overline{CD}$  and segment AD

intersects segment CE at B. What is the length of segment CE?

19



In the xy-plane above, O is the center of the circle, and the measure of  $\angle$  AOB is  $\frac{\pi}{a}$  radians. What is the value of a?

20

In the system of equations above, a and b are constants. If the system has infinitely many

solutions, what is the value of  $\frac{a}{b}$ ?

#### Math Test – Calculator

#### 1

A musician has a new song available for downloading or streaming. The musician earns \$0.09 each time the song is downloaded and \$0.002 each time the song is streamed. Which of the following expressions represents the amount, in dollars, that the musician earns if the song is downloaded d times and streamed s times?

- A) 0.002d + 0.09s
- B) 0.002d 0.09s
- C) 0.09d + 0.002s
- D) 0.09d 0.002s

#### 2

A quality control manager at a factory selects 7 lightbulbs at random for inspection out of every 400 lightbulbs produced. At this rate, how many lightbulbs will be inspected if the factory produces 20,000 lightbulbs?

A) 300

B) 350

C) 400

D) 450

3

#### ℓ = 24 + 3.5m

One end of a spring is attached to a ceiling. When an object of mass m kilograms is attached to the other end of the spring, the spring stretches to a length of  $\ell$  centimeters as shown in the equation above. What is m when  $\ell$  is 73?

A) 14

B) 27.7

C) 73

D) 279.5

# Questions 4 and 5 refer to the following information.

The amount of money a performer earns is directly proportional to the number of people

attending the performance. The performer earns \$120 at a performance where 8 people attend.

#### 4

How much money will the performer earn when 20 people attend a performance?

- A) \$960
- B) \$480
- C) \$300
- D) \$240

#### 5

The performer uses 43% of the money earned to pay the costs involved in putting on each performance. The rest of the money earned is the performer's profit. What is the profit the performer makes at a performance where 8 people attend?

- A) \$51.60 B) \$57.00 C) \$68.40
- D) \$77.00

## 6

When 4 times the number x is added to 12, the result is 8. What number results when 2 times x is added to 7 ?

- A) -1 B) 5 C) 8
- D) 9

#### , , ,

### 7

 $y = x^2 - 6x + 8$ 

The equation above represents a parabola in the xy-plane. Which of the following equivalent forms of the equation displays the x-intercepts of the parabola as constants or coefficients?

- A)  $y 8 = x^2 6x$
- B)  $y + 1 = (x 3)^2$